


PRODUCT DATA SHEET

MaxiDry® 56-426

| | |
|---------------------|--------------------------------|
| Colour – Coating | Purple, Black |
| Colour – Liner | Neutral |
| Design | Gauntlet - 26 cm |
| Coating | NBR (Nitrile Butadiene Rubber) |
| Coating texture | Micro-Foam with Non-Slip Grip |
| Liner | Nylon, Spandex |
| Patent number | EP 1 608 808 |
| Palm thickness (mm) | 1.00 |



Dimensions

| Size Range | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|--------------------------------|-------------|------------|------------|------------|--------------|---------------|
| Total glove length (+/- 10 mm) | 260 | 260 | 260 | 260 | 260 | 260 |
| Palm width (mm) | 101 | 107 | 110 | 112 | 115 | 118 |
| Over lock colour | Blue | Red | Orange | White | Yellow | Black |

EN Test Results

| Test | Notified body | Result/Pass |
|------------------------------------|---------------|-------------|
| EN ISO 21420: 2020 | SATRA IRE | Yes |
| EN 388:2016 + A1:2018 | SATRA IRE | 4111A |
| EN ISO 374-1:2016 + A1:2018/Type C | SATRA IRE | |
| EN ISO 374-5:2016 | SATRA IRE | Yes |

Typical Performance Values

| | |
|--|--|
| EN ISO 21420: General requirements Dexterity | Level 5 |
| EN 388:2016 + A1:2018 A. Abrasion Resistance | > 8000 Cycles |
| EN 388:2016 + A1:2018 B. Cut Resistance | > 1.2 index |
| EN 388:2016 + A1:2018 C. Tear Resistance | > 10 newtons |
| EN 388:2016 + A1:2018 D. Puncture Resistance | > 20 newtons |
| EN 388:2016 + A1:2018 E. Cut Resistance ISO | ≥ 2 Newton |
| EN ISO 374-5:2016 Protective gloves against microorganisms | Protective gloves which form a protective barrier to microbiological agents. |

PRODUCT DATA SHEET

MaxiDry® 56-426

Permeation Break Trough Times (BTT)

| | | |
|---------------------------|---------|---------------------------|
| Ethanol 70% (64-17-5) | 3 (115) | Kroschke |
| Isopropanol 70% (67-63-0) | 4 (163) | Kroschke |
| Ethanol 70% (64-17-5) | 4 | ATG accredited laboratory |
| n-Heptane (142-82-5) | 5 | ATG accredited laboratory |
| Hexane (110-54-3) | 5 | ATG accredited laboratory |
| Methanol (67-56-1) | 1 | ATG accredited laboratory |

HandCare®

| | |
|--|-----------|
| Skin Health Alliance Dermatologically Accredited | Yes |
| REACH compliant | Yes |
| OEKO-TEX® Standard 100 - 08.BH.57867 Hohenstein HTTI | Certified |
| Sanitized® | Yes |



Special features

| | |
|---------------|-----|
| Silicone free | Yes |
|---------------|-----|

Packaging

| | |
|------------------------|-----------------|
| Pairs per poly bag | 12 |
| Poly bags per carton | 6 |
| Carton count | 72 |
| Carton dimensions (mm) | 500 x 295 x 200 |

Weight

| Size Range | Size 6 (XS) | Size 7 (S) | Size 8 (M) | Size 9 (L) | Size 10 (XL) | Size 11 (XXL) |
|----------------------------------|-------------|------------|------------|------------|--------------|---------------|
| Glove weight / pair (+/- 6 gram) | 56 | 58 | 62 | 64 | 68 | 72 |
| Gross weight (kg) | 5.2 | 5.4 | 5.6 | 5.8 | 6.1 | 6.4 |
| Carton weight (kg) | 1 | 1 | 1 | 1 | 1 | 1 |
| Net weight (kg) | 4.2 | 4.4 | 4.6 | 4.8 | 5.1 | 5.4 |

Issue date: 15/03/2024

PRODUCT DATA SHEET

