

# PROTECTIVE EYEWEAR FRONTSIDE SAFETY GLASSES

PRODUCT DATA SHEET: 6500 | 6502 | 6512 | 6502BK | 6512BK | 6513 | 6514 | 6519



PRODUCT CODE:  
6514



PRODUCT CODE:  
6512



PRODUCT CODE:  
6512BK



PRODUCT CODE:  
6513



PRODUCT CODE:  
6519



PRODUCT CODE:  
6502



PRODUCT CODE:  
6500



PRODUCT CODE:  
6502BK



## FEATURES AND BENEFITS

- Certified to AS/NZS 1337.1:2010 Personal Eye Protection.
- Medium impact rated.
- Our FRONTSIDE TR90 Frame is extremely comfortable to wear. Highly flexible, they can bend under pressure which makes them resilient to damage.
- AQUASHIELD Permanent Hydrophilic anti-fog lens coatings.
- Low profile arm to aid in use with other PPE.
- Flexible arms ensure Low Clamp force reducing Temporal pressure coupled with clear side shield for increased lateral eye protection and enhanced peripheral vision.
- UV400 - 100% UV Protection (tinted lens).

## AVAILABLE IN

PRODUCT CODE	UOM	MOQ	CTN QTY
6500	EACH	1	144
6502	EACH	1	144
6512	EACH	1	144
6502BK	EACH	1	144
6512BK	EACH	1	144
6513	EACH	1	144
6514	EACH	1	144
6519	EACH	1	144

## PRODUCT DETAILS

**Lens:** AS/NZS Medium Impact  
Polycarbonate  
99.9% UV Protection  
Anti-Scratch and Anti-Fog

**Frame:** TR90

**Arms/Side Shield:** Polycarbonate

**Weight:** 35g

**Lens Category and Light Transmission Data:**

**Clear Lens:** Category - 0 | Light Transmission - 89%

**Tinted Lens:** Category - 3 | Light Transmission - 13%

**Tinted Polarised Lens:** Category - 3 | Light Transmission - 11%

**Tinted Blue Revo Polarised Lens:** Category - 3 | Light Transmission - 9%



## APPLICATIONS

The Pro Choice Safety Gear range of eye protection is ideal for protection against risks associated with a wide range of applications in both workplace and recreational environments.

Typical applications include but are not limited to: Agriculture, aviation, automotive, chemical manufacturing, construction, forestry, heavy engineering, manufacturing, metal processing, mining and quarrying, transportation.

## CARE INSTRUCTIONS

Avoid exposure to liquids/solvents that may cause the lens to distort/craze as this may affect protection required.

Inspect prior to use for any pitted, crazed, damaged or heavily scratched lenses and replace if signs of deterioration appear.

For heavily soiled applications, wash under running water to remove excess grit and wipe clean with Pro Choice Safety Gear Lens Cleaning Wipes.

For product longevity store in a clean microfiber Pro Choice Safety Gear Spectacle Pouch.

## CLEANING INSTRUCTIONS

Clean with warm soapy water or mild lens cleaning solutions. Do not use alcohol based cleaning wipes/solutions as this may damage the lens coatings.

## STANDARDS

**CERTIFIED TO:**  
AS/NZS 1337.1:2010 Personal Eye Protection -  
Eye and Face Protectors for Occupational Application  
Certified by SAI Global - License number: SMKH25492

