



FEEL THE SW DIFFERENCE[®]

DESIGNED TO ENHANCE WORKER PERFORMANCE.

PowerForm[®]





PF-90BK

POWDER-FREE ECOTEK BIODEGRADABLE NITRILE EXAMINATION GLOVES*

PROTECT HANDS AND THE ENVIRONMENT WITH A BIODEGRADABLE GLOVE THAT COMBINES DURABILITY AND TACTILE SENSITIVITY FOR CRITICAL TASKS*

- EcoTek[®] Biodegradability Technology accelerates landfill breakdown without any performance loss*
- Silicone-free for critical environments
- Exceeds 1.5 AQL laboratory standards

PF PF-90BK

WEIGHT	LENGTH	THICKNESS	FEATURES	COLOR
 6.5g (large size)	 9.0"	 5.0 mil	EcoTek [®] Clean Washed Air Inspected	 BLACK


ECOTEK



Optimal thickness for durability and tactile sensitivity

Fully textured surface for wet and dry grip

Tear-resistant beaded cuff for easy donning



SafetyMate

www.safetymate.com.au | info@safetymate.com.au | AUS: (07) 5582 6400 | NZ: +64 21 332 877

TECHNICAL DATA



PF-90BK
POWDER-FREE ECOTEK BIODEGRADABLE
NITRILE EXAMINATION GLOVES*

PRODUCT DESCRIPTION

SPECIFICATIONS

PRODUCT	PowerForm®		
GRADE	Powder-Free Exam		
MATERIAL	Nitrile		
THICKNESS	FINGER	5.6mil	0.14mm
	PALM	5.0mil	0.13mm
	CUFF	4.1mil	0.10mm
COLOR	Black		
SURFACE	Fully Textured		
LENGTH	9.0"	242mm	
WEIGHT	6.5g		
FIT TYPE	Ambidextrous		
CUFF TYPE	Beaded		
WATERTIGHT AQL	1.5		
ORIGIN COUNTRY	China		

* Specifications based on size Large glove

PHYSICAL PROPERTIES

	PRE-AGING	POST-AGING
TENSILE		
STRENGTH:	22 MPA	20 MPA
ELONGATION:	540%	520%

INTEGRATED TECHNOLOGIES

ECOTEK Biodegradability Technology: 92.6% biodegradable in 2.5 years. ASTM D5526-12 test results do not predict future biodegradation.*

100% Air Inspected

Clean Washed



STANDARDS & CERTIFICATIONS

EN ISO 21420:2020
EN 455-2000-2015
ASTM D6319-19
ASTM F1671-13
ASTM F739-12
Reach EU 1907/2006
EU 2016/425

CAT III Complex Design
FDA 21 CFR 177.2600



Please visit swsafety.com/symbols for information on standards used on this document.

ORDERING

ITEM NO.	SIZE	PALM WIDTH	PACKAGING
N716882	S 6½ – 7	3.5" 89mm	100 gloves per box 10 boxes per case
N716883	M 7½ – 8	3.8" 98mm	100 gloves per box 10 boxes per case
N716884	L 8½ – 9	4.3" 108mm	100 gloves per box 10 boxes per case
N716885	XL 9½ – 10	4.6" 116mm	100 gloves per box 10 boxes per case
N716886	2XL 10½ – 11	5.0" 126mm	100 gloves per box 10 boxes per case

APPLICATIONS

INDUSTRIAL

Dairy
Painting

MEDICAL

Chemical Handling
Tattooing and Cosmetics

Keep out of sunlight. Store in a cool, dry place.
Keep away from sources of ozone or ignition.



R_N71688X1121



www.safetymate.com.au | info@safetymate.com.au | AUS: (07) 5582 6400 | NZ: +64 21 332 877

*Under test method ASTM D5526-12, a standard test method for determining anaerobic biodegradation of plastics in accelerated landfill conditions. Current biodegradation results do not predict future results.